SHAYAY

EDITION 2026

Pallet Product Catalogue

SHAYAY WOODEN PALLETS MANUFACTURING L.L.C

Warehouse: Al Layan, Street No. 13, Dubai, UAE

- Wooden Pallets
- Chemical Pallets CP1–CP9
- Used & Reconditioned
- Custom Pallets & Crates



INDUSTRIAL 1200×1000



EURO 1200×800



GCC 1100×1100

23 Pallet models

9 CP chemical sizes

3–7 Days custom lead time

CONTACT US

+971 56 235 8000

+971 50 172 4468

info@shayaypallet.com · www.shayaypallet.com

PRICES ON REQUEST

ISPM-15 heat treatment available · Made in Dubai, UAE

Standard Sizes

01



Euro White

WOODEN PALLETS

Euro Pallet 1200 × 800 mm (EPAL Type)

EPAL 1 construction: 9 blocks, 11 boards and a chamfered 4-way forklift entry. Kiln-dried pine or spruce, optionally ISPM-15 heat-treated. The most requested size for supermarket distribution, container loading and automated warehouses.

SIZE (MM)	STATIC	DYNAMIC	RACKING	WEIGHT
1200 × 800 × 144	4,000 kg	1,500 kg	1,000 kg	22-25 kg
1200 × 800 × 150	4,500 kg	1,800 kg	1,200 kg	26-28 kg

- 4-way block pallet
- 5 top + 3 bottom boards, 22 mm
- 9 blocks 145×100×78 mm
- Moisture max. 22 %
- Ring-shank nails
- ISPM-15 optional, stamped

WOODEN PALLETS

Industrial Pallet 1200 × 1000 mm

Also called the UK, industrial or EPAL 2 size: the most common footprint in UAE 3PL warehouses, building-material yards and heavy manufacturing. 4-way block build with a heavier 3-stringer bottom for racking, in standard and reinforced grades.

SIZE (MM)	STATIC	DYNAMIC	RACKING	WEIGHT
1200 × 1000 × 144	4,000 kg	1,500 kg	1,000 kg	25-28 kg
1200 × 1000 × 162	5,000 kg	2,000 kg	1,250 kg	30-33 kg

- 4-way block or 2-way stringer
- 7 top boards, 22 mm
- 9 blocks 145×145×78 mm
- Hardwood blocks optional
- ISPM-15 HT optional

02



03



WOODEN PALLETS

GCC Square Pallet 1100 × 1100 mm

Widely used across the GCC and Asia, this square pallet fits two-abreast in ISO containers with minimal void. Ideal for bagged goods, chemical drums and export consolidation from Jebel Ali. 4-way block build with full or open top deck.

SIZE (MM)	STATIC	DYNAMIC	RACKING	WEIGHT
1100 × 1100 × 140	4,000 kg	1,500 kg	900 kg	24-27 kg
1100 × 1100 × 155	5,000 kg	2,000 kg	1,200 kg	30-32 kg

- 4-way block
- 7 top boards, 22 mm (closed deck optional)
- 9 pine or hardwood blocks
- 20 pallets per 40-ft HC (single layer)
- ISPM-15 HT optional

Standard & Heavy-Duty Sizes

WOODEN PALLETS

Pallet 1300 × 1100 mm (New & Used)

A larger deck for oversized cartons, bagged goods and appliances. Manufactured new from kiln-dried pine, and also supplied as graded used units from stock, in 2-way and 4-way versions.

SIZE (MM)	STATIC	DYNAMIC	RACKING	WEIGHT
1300 × 1100 × 150	4,500 kg	1,500 kg	1,000 kg	30-34 kg
1300 × 1100 × 150	4,000 kg	1,200 kg	900 kg	28-33 kg

- 2-way or 4-way
- 7-9 top boards, 22 mm
- Kiln-dried pine / mixed used timber
- ISPM-15 HT optional

04



05



WOODEN PALLETS

Pallet 1000 × 800 mm

Ideal for lighter loads, retail display, spare parts and narrow-aisle storage. Built new to order or supplied used from stock.

SIZE (MM)	STATIC	DYNAMIC	RACKING	WEIGHT
1000 × 800 × 140	3,000 kg	1,000 kg	700 kg	16-20 kg

- 4-way block
- 5-7 top boards
- Kiln-dried pine

WOODEN PALLETS · HEAVY DUTY

Heavy-Duty Pallet 1200 × 1200 mm

Carries four 200-litre drums or one IBC with room to strap. Built with hardwood blocks, 25 mm deck boards and a perimeter base for maximum stability under forklift and crane handling.

SIZE (MM)	STATIC	DYNAMIC	RACKING	WEIGHT
1200 × 1200 × 150	6,000 kg	2,000 kg	1,500 kg	34-38 kg
1200 × 1200 × 165	8,000 kg	2,500 kg	1,800 kg	40-45 kg

- 4-way block, perimeter base
- 8 top boards, 25 mm
- 9 hardwood blocks 145×145×90 mm
- ISPM-15 HT optional

06



Construction Types & Long Goods

07



WOODEN PALLETS

4-Way Block Pallet

Nine blocks with a full perimeter or 3-runner base give true 4-way access for forklifts and pallet jacks. The default for racked warehouses and any site mixing electric jacks with counterbalance trucks.

SIZE (MM)	STATIC	DYNAMIC	RACKING	WEIGHT
1200 × 1000 × 144	4,000 kg	1,500 kg	1,000 kg	25-28 kg
1200 × 800 × 144	4,000 kg	1,500 kg	1,000 kg	22-25 kg
1100 × 1100 × 140	4,000 kg	1,500 kg	900 kg	24-27 kg

- True 4-way entry
- 9 pine or hardwood blocks
- 3-runner or perimeter base
- ISPM-15 HT optional

WOODEN PALLETS

2-Way Stringer Pallet

Three solid pine stringers instead of blocks give excellent strength-to-cost for one-way and local distribution. Available in every standard footprint and any custom length up to 2,400 mm, with optional notched stringers for partial 4-way access.

SIZE (MM)	STATIC	DYNAMIC	RACKING	WEIGHT
1200 × 1000 × 140	3,000 kg	1,200 kg	—	18-22 kg
1200 × 800 × 140	3,000 kg	1,000 kg	—	16-19 kg
Custom up to 2400 mm	On request	On request	—	Varies

- 2-way (notched 4-way optional)
- 3 × 38×90 mm pine stringers
- 5-7 top boards, 16-22 mm
- ISPM-15 HT optional

08



09



WOODEN PALLETS · LONG GOODS

Long Pallet 2000 × 1000 mm

Built for long goods such as pipes, aluminium profiles, doors, boards and panels. Reinforced runners keep the deck flat over the full 2 m length.

SIZE (MM)	STATIC	DYNAMIC	RACKING	WEIGHT
2000 × 1000 × 150	5,000 kg	2,000 kg	—	45-55 kg

- 2-way / 4-way
- 3 full-length runners
- Kiln-dried pine

Used & Reconditioned Pallets

USED & RECYCLED PALLETS

Used Pallet 1200 × 1000 mm (4-Way, Heavy Duty)

Our best-selling used wooden pallet. Every unit is sorted at our Al Layan yard, broken boards and blocks are replaced, nails are re-driven and each pallet is checked before dispatch, at a much lower price than new.

SIZE (MM)	STATIC	DYNAMIC	RACKING	WEIGHT
1200 × 1000 × 150	4,000 kg	1,500 kg	1,000 kg	24-30 kg
1200 × 1000 × 150	5,000 kg	2,000 kg	1,200 kg	28-34 kg

- Used, repaired and inspected
- 4-way block / 2-way stringer
- Height approx. 140-160 mm
- Large stock in Dubai
- Re-heat-treatment available

10



11



USED & RECYCLED PALLETS

Reconditioned Pallet – Grade A

Used pallets that have been sorted, repaired with new boards where needed and inspected to our new-pallet checklist. Clean appearance and full structural integrity at a significantly lower cost and carbon footprint.

SIZE (MM)	STATIC	DYNAMIC	RACKING	WEIGHT
1200 × 1000 × 144	3,500 kg	1,200 kg	—	24-28 kg
1200 × 800 × 144	3,500 kg	1,200 kg	—	22-25 kg
1100 × 1100 × 140	3,500 kg	1,200 kg	—	24-27 kg

- Repaired, no broken boards, minimal staining
- 100 % visual + load check
- Re-heat-treatment available
- Bulk stock in Dubai

USED & RECYCLED PALLETS

Reconditioned Pallet – Grade B

Repaired and load-tested, but may show weathering, colour variation or plate repairs. The most economical way to move goods safely for internal handling, one-way shipments and construction sites.

SIZE (MM)	STATIC	DYNAMIC	RACKING	WEIGHT
1200 × 1000 × 144	3,000 kg	1,000 kg	—	24-28 kg
1200 × 800 × 144	3,000 kg	1,000 kg	—	22-25 kg

- Repaired; cosmetic wear accepted
- Structural check on every unit
- Large stock, immediate dispatch

12



CP1 – CP3 Chemical Pallets

13



WOODEN PALLETS · CHEMICAL (CP)

CP1 Chemical Pallet 1000 × 1200 mm

One of the nine standard CP (chemical pallet) sizes for bags, drums, octabins and IBCs in the chemical, polymer and petrochemical industry. Made in Dubai to CP dimensions, new or used, with ISPM-15 heat treatment for export.

SIZE (MM)	STATIC	DYNAMIC	RACKING	WEIGHT
1000 × 1200 × 138	4,000 kg	1,250 kg	1,000 kg	18-32 kg

- 2-way / 4-way per CP spec
- Kiln-dried pine / spruce
- ISPM-15 heat treatment available

WOODEN PALLETS · CHEMICAL (CP)

CP2 Chemical Pallet 800 × 1200 mm

One of the nine standard CP (chemical pallet) sizes for bags, drums, octabins and IBCs in the chemical, polymer and petrochemical industry. Made in Dubai to CP dimensions, new or used, with ISPM-15 heat treatment for export.

SIZE (MM)	STATIC	DYNAMIC	RACKING	WEIGHT
800 × 1200 × 138	4,000 kg	1,250 kg	1,000 kg	18-32 kg

- 2-way / 4-way per CP spec
- Kiln-dried pine / spruce
- ISPM-15 heat treatment available

14



15



WOODEN PALLETS · CHEMICAL (CP)

CP3 Chemical Pallet 1140 × 1140 mm

One of the nine standard CP (chemical pallet) sizes for bags, drums, octabins and IBCs in the chemical, polymer and petrochemical industry. Made in Dubai to CP dimensions, new or used, with ISPM-15 heat treatment for export.

SIZE (MM)	STATIC	DYNAMIC	RACKING	WEIGHT
1140 × 1140 × 138	4,000 kg	1,250 kg	1,000 kg	18-32 kg

- 2-way / 4-way per CP spec
- Kiln-dried pine / spruce
- ISPM-15 heat treatment available

CP4 – CP6 Chemical Pallets

WOODEN PALLETS · CHEMICAL (CP)

CP4 Chemical Pallet 1100 × 1300 mm

One of the nine standard CP (chemical pallet) sizes for bags, drums, octabins and IBCs in the chemical, polymer and petrochemical industry. Made in Dubai to CP dimensions, new or used, with ISPM-15 heat treatment for export.

SIZE (MM)	STATIC	DYNAMIC	RACKING	WEIGHT
1100 × 1300 × 138	4,000 kg	1,250 kg	1,000 kg	18-32 kg

- 2-way / 4-way per CP spec
- Kiln-dried pine / spruce
- ISPM-15 heat treatment available

16



17



WOODEN PALLETS · CHEMICAL (CP)

CP5 Chemical Pallet 760 × 1140 mm

One of the nine standard CP (chemical pallet) sizes for bags, drums, octabins and IBCs in the chemical, polymer and petrochemical industry. Made in Dubai to CP dimensions, new or used, with ISPM-15 heat treatment for export.

SIZE (MM)	STATIC	DYNAMIC	RACKING	WEIGHT
760 × 1140 × 138	4,000 kg	1,250 kg	1,000 kg	18-32 kg

- 2-way / 4-way per CP spec
- Kiln-dried pine / spruce
- ISPM-15 heat treatment available

WOODEN PALLETS · CHEMICAL (CP)

CP6 Chemical Pallet 1200 × 1000 mm

One of the nine standard CP (chemical pallet) sizes for bags, drums, octabins and IBCs in the chemical, polymer and petrochemical industry. Made in Dubai to CP dimensions, new or used, with ISPM-15 heat treatment for export.

SIZE (MM)	STATIC	DYNAMIC	RACKING	WEIGHT
1200 × 1000 × 156	4,000 kg	1,250 kg	1,000 kg	18-32 kg

- 2-way / 4-way per CP spec
- Kiln-dried pine / spruce
- ISPM-15 heat treatment available

18



CP7 – CP9 Chemical Pallets

19



WOODEN PALLETS · CHEMICAL (CP)

CP7 Chemical Pallet 1300 × 1100 mm

One of the nine standard CP (chemical pallet) sizes for bags, drums, octabins and IBCs in the chemical, polymer and petrochemical industry. Made in Dubai to CP dimensions, new or used, with ISPM-15 heat treatment for export.

SIZE (MM)	STATIC	DYNAMIC	RACKING	WEIGHT
1300 × 1100 × 156	4,000 kg	1,250 kg	1,000 kg	18-32 kg

- 2-way / 4-way per CP spec
- Kiln-dried pine / spruce
- ISPM-15 heat treatment available

WOODEN PALLETS · CHEMICAL (CP)

CP8 Chemical Pallet 1140 × 1140 mm

One of the nine standard CP (chemical pallet) sizes for bags, drums, octabins and IBCs in the chemical, polymer and petrochemical industry. Made in Dubai to CP dimensions, new or used, with ISPM-15 heat treatment for export.

SIZE (MM)	STATIC	DYNAMIC	RACKING	WEIGHT
1140 × 1140 × 156	4,000 kg	1,250 kg	1,000 kg	18-32 kg

- 2-way / 4-way per CP spec
- Kiln-dried pine / spruce
- ISPM-15 heat treatment available

20



21



WOODEN PALLETS · CHEMICAL (CP)

CP9 Chemical Pallet 1140 × 1140 mm

One of the nine standard CP (chemical pallet) sizes for bags, drums, octabins and IBCs in the chemical, polymer and petrochemical industry. Made in Dubai to CP dimensions, new or used, with ISPM-15 heat treatment for export.

SIZE (MM)	STATIC	DYNAMIC	RACKING	WEIGHT
1140 × 1140 × 156	4,000 kg	1,250 kg	1,000 kg	18-32 kg

- 2-way / 4-way per CP spec
- Kiln-dried pine / spruce
- ISPM-15 heat treatment available

Custom Pallets & Export Crates

CUSTOM PALLETS, CRATES & BOXES

Custom-Size Wooden Pallets & Skids

From 600 × 400 mm display pallets to 3,000 mm machinery skids, we design and manufacture to your exact requirement. Send a drawing or the product you need to move, and we propose the board layout, block size and timber grade with a specification sheet for approval.

SIZE (MM)	STATIC	DYNAMIC	RACKING	WEIGHT
Min 600 × 400	By design	By design	—	Varies
Max 3000 × 1500	Up to 10,000 kg	Up to 4,000 kg	—	Varies

- Lead time 3-7 working days after approval
- Free layout and load proposal
- Pine, spruce, hardwood, plywood deck
- ISPM-15 HT, kiln drying
- Heat-brand your logo

22



23



CUSTOM PALLETS, CRATES & BOXES

Export Wooden Crates & Plywood Boxes

Closed crates, open-slat crates and plywood cases with integrated pallet bases for sea, air and road export. Options include foil/VCI lining, foam cushioning, shock indicators and lifting points. Every crate ships with ISPM-15 stamping and a packing spec sheet.

SIZE (MM)	STATIC	DYNAMIC	RACKING	WEIGHT
Any size, up to 6000 mm	Up to 20,000 kg	Per design	—	Varies

- Closed crate, slat crate, plywood case, skid base
- Pine frame, 9-18 mm plywood, OSB
- VCI/foil, foam, desiccant, shock/tilt indicators
- On-site packing across UAE

WHY SHAYAY

01 Made in Dubai
Own manufacturing and yard in Al Layan

02 Design support
Free layout and load proposal

03 Export ready
ISPM-15 treatment, stamping, branding

04 Fast delivery
3-7 working days on custom orders

Request a quote today

+971 56 235 8000 | +971 50 172 4468

info@shayaypallet.com · www.shayaypallet.com

PRICES ON REQUEST